

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:38
L2	0	L1 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:46
L3	16	query adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
L4	5	query adj fingerprint and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
L5	3	L4 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118"" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:50
L6	2	L4 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:51
L7	10	query adj fingerprint and model and threshold and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
L8	3	L7 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:55
L9	2	L8 and candidate adj fingerprint and model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:56

L10	1	query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:03
L11	0	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:04
L12	0	(query adj fingerprint and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits).clm.	US-PGPUB	OR	ON	2009/03/20 15:04
L13	1	query adj fingerprint and statistical adj model and(signal or video or audio)and search \$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
L14	74	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
L15	73	query adj fingerprint and (signal or video or audio)and search\$3 and extract\$3 and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:06
L16	54	L15 and(@ad<"20031118" or @rlad<"20031118" or @prad<"20031118" or @ptad<"20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
L17	15	L15 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:07
L18	0	L17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3 and bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08
L19	0	L17 and statistical adj model and threshold and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:08

L20	3	L17 and model\$1 and threshold and(signal or video or audio)and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
L21	2	L20 and vector and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:09
L22	2	L21 and(match\$3 or comparision or correlation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:11
L23	2	L22 and query adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
L24	0	L23 and statistical adj model and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:12
L25	2	L23 and model\$1 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:13
L26	25	((JOB) near2 (OOSTVEEN)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:19
L27	1	L26 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:19
L28	98	((ANTONIUS) near2 (KALKER)).INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:20
L29	2	L28 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:20
L30	1	L29 and(@ad< "20031118" or @rlad< "20031118" or @prad< "20031118" or @ptad< "20031118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21

L31	0	L30 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:21
L32	48	((JAAP) near2 (HAITSMA)). INV.	US-PGPUB; USPAT	OR	ON	2009/03/20 15:21
L33	1	L32 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:22
L34	0	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and search\$3 and extract\$3 and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15:25
L35	1	(query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)).CLM.	US-PGPUB	OR	ON	2009/03/20 15:25
L36	36741	"382"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:26
L37	0	L36 and query adj fingerprint and candidate adj fingerprint and statistical adj model and threshold and(comparision or match\$3 or correlation or similar)	USPAT	OR	ON	2009/03/20 15:26
L38	1	L36 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:27
L39	0	L38 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:28
L40	10	L36 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:30
L41	0	L40 and fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
L42	0	L40 and candidate adj fingerprint and statistical adj model and threshold\$1	US-PGPUB	OR	ON	2009/03/20 15:31
L43	1	L40 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:32
L44	14212	"704"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:32

L45	1	L44 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:33
L46	28368	"700"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:34
L47	0	L46 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
L48	0	L46 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:35
L49	0	"396"/\$.ccls	USPAT	OR	ON	2009/03/20 15:35
L50	0	L49 and query adj fingerprint	USPAT	OR	ON	2009/03/20 15:36
L51	0	L49 and fingerprint	USPAT	OR	ON	2009/03/20 15:36
L52	100	query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:37
L53	13	L52 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:38
L54	8	L53 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:39
L55	1	L54 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3 and construct\$3 adj query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
L56	0	L55 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:40
L57	4	L54 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:41

L58	91	((("20070071330") or ("20090028441") or ("7142699") or ("20030169910") or ("20080270373") or ("6314196") or ("5953443") or ("20070003114") or ("20070067304") or ("6001562") or ("6240409") or ("5910999") or ("6292830") or ("6041133") or ("6317544") or ("6320974") or ("6466686") or ("6990453") or ("7206437") or ("7346512") or ("7356170") or ("20020083060") or ("20050004941") or ("20050084143") or ("20050144455") or ("20050180614") or ("20060122839") or ("20060161777") or ("20070203904") or ("20080208891") or ("20090012984") or ("6275601") or ("7369688") or ("5067162") or ("5272657") or ("6094507") or ("5917928") or ("5613014") or ("5960101") or ("20040260682") or ("4618988") or ("6002785") or ("6493709") or ("6757675") or ("6778688") or ("20020164058") or ("20030120647") or ("6356649") or ("6628834") or ("20070160259") or ("").pn.)). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/20 15:46
L59	15	L58 and query adj fingerprint and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:52
L60	2	L59 and query adj fingerprint and candidate adj fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:58
L61	1	L60 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59

L62	0	L61 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 15:59
L63	0	"707"/\$.ccls	USPAT	OR	ON	2009/03/20 15:59
L64	32080	"707"/\$.ccls.	USPAT	OR	ON	2009/03/20 15:59
L65	13	L64 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:00
L66	3	L65 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:00
L67	3	L66 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:00
L68	2	L67 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:01
L69	1	L68 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:02
L70	95295	"340"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:07
L71	1	L70 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:07
L72	0	L71 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:07
L73	0	L71 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:08
L74	0	L71 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:08
L75	1	L71 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:08
L76	51940	"356"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09
L77	0	L76 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
L78	10687	"283"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:09

L79	2	L78 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:09
L80	0	L79 and query adj fingerprint and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
L81	0	L79 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:10
L82	1	L79 and query adj fingerprint and(signal or video or audio) and search\$3 and extract\$3	USPAT	OR	ON	2009/03/20 16:10
L83	0	L82 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:10
L84	0	L82 and @ad<"20031118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:11
L85	22832	"713"/\$.ccls.	USPAT	OR	ON	2009/03/20 16:12
L86	2	L85 and query adj fingerprint and database	USPAT	OR	ON	2009/03/20 16:13
L87	1	L86 and candidate adj fingerprint	USPAT	OR	ON	2009/03/20 16:13
L88	0	L87 and (statistical adj model or model\$1)and threshold and (comparision or match\$3 or correlation or similar)and vector	USPAT	OR	ON	2009/03/20 16:13
L89	0	L87 and @ad<"20031118"	USPAT	OR	ON	2009/03/20 16:14

3/ 20/ 09 4:15:09 PM

C:\ Documents and Settings\ Schawan\ My Documents\ EAST\ Workspaces\ 9412.wsp